

In the Claims:

Please amend the claims as follows:

1. (currently amended) A cover for an electronic device comprising
 - a decoration-(11) which is visible to a user when said cover is connected to an electronic device;
 - a contact sensitive componentmeans (22,23) arranged such that itthey generates an electrical signal when a part (12) of said decoration (11) associated to said contact sensitive componentmeans (22,23) is touched; and
 - a connection component configured means (24,25) tofor electrically connecting said contact sensitive componentmeans (22,23) to a processing componentmeans.
2. (currently amended) The cover according to claim 1, wherein said contact sensitive componentmeans comprises a pressure sensitive film.
3. (previously presented) The cover according to claim 2, wherein said pressure sensitive film is an electromechanical film.
4. (previously presented) The cover according to claim 2, wherein said pressure sensitive film comprises at least one force sensitive resistor.
5. (currently amended) The cover according to claim 1, wherein said contact sensitive componentmeans comprises at least one capacitive sensor-(22).
6. (currently amended) The cover according to claim 5, wherein different parts-(12) of said decoration-(11) associated to said contact sensitive componentmeans (22,23) result in a generation of different signals by said contact sensitive componentmeans (22,23) when touched.

7. (currently amended) The cover according to claim 5, wherein one or more selected parts (12) of said decoration (11) are associated to one or more functions enabled by a processor to which said contact sensitive componentmeans (22,23) can be connected via said connection componentmeans (24,25).
8. (currently amended) The cover according to claim 5, further comprising a processing componentmeans to which said contact sensitive componentmeans (22,23) is are connected via said connection componentmeans (24,25).
9. (currently amended) The cover according to claim 5, wherein said decoration is a decoration adjustable by a processing componentmeans.
10. (currently amended) The cover according to claim 9, wherein said adjustable decoration comprises at least one light emitting diode (LED) which is controllable by a processing componentmeans.
11. (currently amended) The cover according to claim 10, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing componentmeans.
12. (currently amended) An electronic device comprising a cover, which cover comprises
 - a decoration which is visible to a user when said cover is connected to an electronic device;
 - a contact sensitive component arranged such that it generates an electrical signal when a part of said decoration associated to said contact sensitive component is touched; and;
 - a connection component configured to electrically connect said contact sensitive component to a processing component

according to claim 1.

13. (currently amended) The electronic device according to claim 12 comprising a data connection to said cover and a processing componentmeans configured to for processing data received by said contact sensitive componentmeans of said cover.
14. (currently amended) The cover according to claim 1, wherein different parts-(12) of said decoration-(11) associated to said contact sensitive componentmeans (22,23) result in a generation of different signals by said contact sensitive componentmeans (22,23) when touched.
15. (currently amended) The cover according to claim 1, wherein one or more selected parts-(12) of said decoration-(11) are associated to one or more functions enabled by a processor to which said contact sensitive componentmeans (22,23) can be connected via said connection componentmeans (24,25).
16. (currently amended) The cover according to claim 1, further comprising a processing componentmeans to which said contact sensitive componentmeans (22,23) is are connected via said connection componentmeans (24,25).
17. (currently amended) The cover according to claim 1, wherein said decoration is a decoration adjustable by a processing componentmeans.
18. (currently amended) The cover according to claim 17, wherein said adjustable decoration comprises at least one light emitting diode-(LED) which is controllable by a processing componentmeans.

19. (currently amended) The cover according to claim 9, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing component means.
20. (new) The electronic device according to claim 12, wherein said contact sensitive component of said cover comprises a pressure sensitive film.
21. (new) The electronic device according to claim 20, wherein said pressure sensitive film is an electromechanical film.
22. (new) The electronic device according to claim 20, wherein said pressure sensitive film comprises at least one force sensitive resistor.
23. (new) The electronic device according to claim 12, wherein said contact sensitive component comprises at least one capacitive sensor.
24. (new) The electronic device according to claim 12, wherein different parts of said decoration associated to said contact sensitive component result in a generation of different signals by said contact sensitive component when touched.
25. (new) The electronic device according to claim 12, wherein one or more selected parts of said decoration are associated to one or more functions enabled by a processor to which said contact sensitive component can be connected via said connection component.
26. (new) The electronic device according to claim 12, wherein said cover further comprises a processing component to which said contact sensitive component is connected via said connection component.

27. (new) The electronic device according to claim 12, wherein said decoration is a decoration adjustable by a processing component.
28. (new) The electronic device according to claim 27, wherein said adjustable decoration comprises at least one light emitting diode which is controllable by a processing component.
29. (new) The electronic device according to claim 27, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing component.
30. (new) A cover comprising:
 - means for presenting a decoration which is visible to a user when said cover is connected to an electronic device;
 - means for generating an electrical signal when a part of said decoration is touched; and
 - means for electrically connecting said means for generating an electrical signal to means for processing the electrical signal.